

Appl. No.: 10/689,345
Am.dt. dated 3 March 2007
Reply to Examiner-Initiated Interview of 27 February 2008

RECEIVED
CENTRAL FAX CENTER
MAR 03 2008

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (previously presented) A method for balancing the load of a parallel processing system having a plurality of parallel processing elements linked serially in a line with first and second ends, wherein each of said plurality of processing elements (PE_r) has a local number of tasks associated therewith, the method comprising:
 - determining a total number of tasks present on said line;
 - notifying each of said plurality of processing elements of said total number of tasks;
 - calculating a local mean number of tasks for each of said plurality of processing elements;
 - calculating a local deviation from said local mean number for each of said plurality of processing elements;
 - determining a first local cumulative deviation for each of said plurality of processing elements by summing the local deviations associated with upstream processing elements;
 - determining a second local cumulative deviation for each of said plurality of processing elements; and
 - redistributing tasks among said plurality of processing elements in response to said first local cumulative deviation and said second local cumulative deviation.
2. (original) The method of claim 1 wherein said determining a total number of tasks present on said line comprises sequentially summing said local number of tasks associated with each of said plurality of PE's from said first end of said line to said second end of said line.
3. (original) The method of claim 1 wherein said determining said total number of tasks present on said line includes solving the equation $V = \sum_{i=0}^{i=N-1} v_i$, where V represents said total number of tasks present on said line, N represents the number of processing elements in said line, and v_i represents said local number of tasks associated with a local PE_r.

-2-

PII-1172618v1
022030 - 615204

Appl. No.: 10/689,345

Amdt. dated 3 March 2007

Reply to Examiner-Initiated Interview of 27 February 2008

4. (original) The method of claim 1 wherein said notifying step includes passing said total number of tasks from said second end to said first end.
5. (previously presented) The method of claim 1 wherein said calculating a local mean number of tasks for each of said plurality of processing elements further includes solving the equation $M_r = \text{Trunc}((V + E_r) / N)$, where M_r represents said local mean for a PE_r , N represents the total number of processing elements in said line, V represents the total number of tasks, and E_r is a number in the range of 0 to $(N-1)$.
6. (original) The method of claim 5 wherein each PE has a different E_r value.
7. (previously presented) The method of claim 5 wherein said *Trunc* function is responsive to the value of E_r such that said total number of tasks for said line is equal to the sum of the local mean number of tasks for each of said plurality of processing elements in said line.
8. (currently amended) The method of claim 5 wherein said local mean $M_r = \text{Trunc}((V + E_r) / N)$ for each local PE_r on said line is equal to either X or $(X+1)$, where X is equal to the local mean.
9. (original) The method of claim 1 wherein said calculating a local deviation for each of said plurality of processing elements includes finding the difference between said local number of tasks and said local mean number of tasks for each PE_r .
10. (cancelled)
11. (original) The method of claim 1 wherein said determining a second local cumulative deviation includes finding a difference between the negative of said local deviation and said first local cumulative deviation for each PE_r .
12. (original) The method of claim 1 wherein said redistributing tasks among said plurality of processing elements comprises:

Appl. No.: 10/689,345

Amdt. dated 3 March 2007

Reply to Examiner-Initiated Interview of 27 February 2008

transferring a task from a local PE_r to a left-adjacent PE_{r-1} if said first local cumulative deviation for said local PE_r is a negative value;

transferring a task from said local PE_r to a right-adjacent PE_{r+1} if said second local cumulative deviation for said local PE_r is a negative value.

13. (original) The method of claim 1 wherein said redistributing tasks among said plurality of processing elements comprises:

transferring a task from a local PE_r to a left-adjacent PE_{r-1} if said second local cumulative deviation for said local PE_r is a positive value;

transferring a task from said local PE_r to a right-adjacent PE_{r+1} if said first local cumulative deviation for said local PE_r is a positive value.

14. (original) The method of claim 1 wherein said calculating a local mean number of tasks for each of said plurality of processing elements; said calculating a local deviation from said local mean number of tasks for each of said plurality of processing elements; said determining a first local cumulative deviation; said determining a second local cumulative deviation; and said redistributing tasks are completed in parallel for each of said plurality of processing elements.

15. (original) The method of claim 1 wherein said calculating a local deviation for each of said plurality of processing elements, determining a first local cumulative deviation for each of said plurality of processing elements, determining a second local cumulative deviation for each of said plurality of processing elements, and redistributing tasks among said plurality of processing elements in response to said first local cumulative deviation and said second local cumulative deviation are repeated until said local deviation, said first local cumulative deviation, and said second local cumulative deviation for each of said plurality of processing elements is zero.

16. (previously presented) A method for assigning tasks associated with a parallel processing element (PE_r) within a line of processing elements, said PE_r being serially connected to at least one other PE in said line and said PE_r having a local number of tasks associated therewith, the method comprising:

Appl. No.: 10/689,345

Amdt. dated 3 March 2007

Reply to Examiner-Initiated Interview of 27 February 2008

notifying said PE_r of a total number of tasks associated with said line;
determining said PE_r 's associated share of said total number of tasks;
determining a first local cumulative deviation for said PE_r by summing the local deviations associated with upstream processing elements;
determining a second local cumulative deviation for said PE_r ;
redistributing tasks with said at least one other connected parallel processing element in response to at least one of said first local cumulative deviation and said second local cumulative deviation.

17. (original) The method of claim 16 wherein said notifying said PE_r comprises:

serially summing said local number of tasks present on said line; and
transmitting said total number of tasks to said PE_r .

18. (previously presented) The method of claim 16 wherein said determining said PE_r 's associated share of said total number of tasks comprises:

calculating a local mean number of tasks for said PE_r , said local mean number of tasks being equal to $M_r = \text{Trunc}((V + E_r) / N)$, where M_r represents said local mean of said local PE_r , N represents the total number of processing elements in said line, V represents the total number of tasks and E_r represents a number in the range of 0 to $(N - 1)$; and

calculating a local deviation from said local mean number of tasks for PE_r by finding the difference between said local number of tasks and said local mean number of tasks for PE_r .

19. (original) The method of claim 18 wherein each processing element in said line has a different E_r value.

20. (previously presented) The method of claim 16 wherein said *Trunc* function is responsive to the value of E_r such that said total number of tasks for said line is equal to the sum of the local mean number of tasks for each of said processing elements in said line.

Appl. No.: 10/689,345

Amdt. dated 3 March 2007

Reply to Examiner-Initiated Interview of 27 February 2008

21. (currently amended) The method of claim 18 wherein $M_r = \text{Trunc}((V + E_r) / N)$ for each local PE_r on said line is equal to either X or $(X + 1)$, where X is equal to the local mean.
22. (cancelled)
23. (original) The method of claim 16 wherein said determining a second local cumulative deviation for said PE_r includes finding the difference between the negative of said local deviation and said first local cumulative deviation for said PE_r.
24. (original) The method of claim 16 wherein said redistributing tasks with said at least one other parallel processing element comprises:
- transferring a task to said at least one other parallel processing element from said PE_r, if at least one said first local cumulative deviation is a negative value and if said second local cumulative deviation is a negative value; and
 - transferring a task from said at least one other parallel processing element to said PE_r, if at least one said first local cumulative deviation is a positive value and if said second local cumulative deviation is a positive value.
25. (original) The method of claim 16 wherein said determining a first local cumulative deviation step, determining a second local cumulative deviation step, and said redistributing tasks step continue until said first local cumulative deviation and said second local cumulative deviation for said PE_r is zero.
26. (previously presented) A computer readable memory device carrying a set of instructions which, when executed, perform a method comprising:
- determining a total number of tasks present on a line of parallel processing elements;
 - notifying each of said plurality of processing elements of said total number of tasks;
 - calculating a local mean number of tasks for each of said plurality of processing elements;
 - calculating a local deviation from said local mean number for each of said plurality of processing elements;

Appl. No.: 10/689,345

Amtd. dated 3 March 2007

Reply to Examiner-Initiated Interview of 27 February 2008

determining a first local cumulative deviation for each of said plurality of processing elements by summing the local deviations associated with upstream processing elements;

determining a second local cumulative deviation for each of said plurality of processing elements; and

redistributing tasks among said plurality of processing elements in response to said first local cumulative deviation and said second local cumulative deviation.